PHT JO. MIND			100
Entered in NID File		Checked by Chief	KTD
December On S.R. Sheet		Copy, NID to Field Office	
La San Map Pinned		Approval Letter	$\mathcal{L}$
Card Indexed		Disapproval Letter	######################################
IWR for State or Fee La	and		
COMPLETION  Date Well Comple  OW WW.	eted 4-14-42	Location Inspected  Bond released	usap
GW OS	PA	State of Fee Land	*********************
	LOGS F	ILED	
Driller's Log_F	-10-62		
Electric Logs (1	No. 1. 2	_	
E	E-I	GR GR-N	Micro
/ Lat	Mi-L Sonic	Others	
Juliseque	il Stepart a	Abandenie	4
//	• •	į	

The state of the s

The second second

Cop. to HC

Form approved. Budget Bureau No. 42-R359.4.

Form 9-331 b (April 1952)

I

(SUBMIT IN TRIPLICATE)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

ndian Agency	
Navajo	
W-AA	
Allottee	_
.ease No. 14-20-	ついーバル

		SUBSEQUENT	REPORT OF WATER	SHIIT OFF			
NOTICE OF INTENTION TO CHANGE PL				11 11 15	U EIV		
NOTICE OF INTENTION TO TEST WATER	R SHUT-OFF						
IOTICE OF INTENTION TO REDRILL OF	R REPAIR WELL	SUBSEQUENT	REPORT OF REDRIL	LING OR REPAIR	*AV146		
IOTICE OF INTENTION TO SHOOT OR	ACIDIZE	SUBSEQUENT	REPORT OF ABANDO	NMENT	A.		
NOTICE OF INTENTION TO PULL OR AL	SUPPLEMENTA	RY WELL HISTORY					
NOTICE OF INTENTION TO ABANDON Y				GEOLOGICAL SU NGTON, NEW MI			
(INDICATE	E ABOVE BY CHECK MARI	K NATURE OF REPORT	, NOTICE, OR OTHER				
				May 2,	19 62		
Mavajo Tract 125		~					
	ated 1980 ft. fr	om $\begin{cases} S \end{cases}$ line and	d <b>1980</b> ft. fr	om $\left\{\begin{array}{c} \bullet \\ W \end{array}\right\}$ line of	sec. 21		
E SW Section 21	<u>4</u> 13	258	SIM	()			
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	get 11 th term =			
(Field)	San_	y or Subdivision)		(State or Territory)			
e elevation of the derrick	for shows are la	1 :- <b>-</b>	ft. bk73.01	ma			
tary drilling equipms radox Salt formation.	ent will be us	ed to drill gram: Appro	minutely 60	of 13-3/8	a conductor		
tary drilling equipms redox Salt formation. sing and approximatel 1/2" production casis	ent will be us Gesing Prog ly 1200° of 8- ng will be run	ed to drill gram: Appro -5/8" surfac a and comment	minutely 60 casing. ed with suf	of 13-3/8 Required as Ticient ces	enst of		
1/2" production casis wer the highest potes	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc	ped to drill gram: Appro -5/8" surfac a and commut stive some.	cinately 60 s casing, ed with suf low solids	of 13-3/8 Required an ficient cen gel-CMG m	sunt of out to out will be		
tary drilling equipms redox Salt formation. sing and approximatel 1/2" production casis wer the highest potes ed. All shows will be	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc	ped to drill gram: Appro -5/8" surfac a and commat stive mone. electric lo	minately 60 s casing, ad with suf low solids gs will be	of 13-3/8 Required an ficient cen gel-CMG m run prior t	" conductor ount of ent to ud will be o setting		
tary drilling equipms redox Salt formation, sing and approximatel 1/2" production casis wer the highest potes ed. All shows will b	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and	ped to drill gram: Appro -5/8" surfac a and commat stive mone. electric lo	minately 60 s casing, ad with suf low solids gs will be	of 13-3/8 Required an ficient cen gel-CMG m run prior t	" conductor ount of ent to ud will be o setting		
tary drilling equipms redox Salt formation, sing and approximatel 1/2" production casis wer the highest potes ed. All shows will b	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and	ped to drill gram: Appro -5/8" surfac a and commat stive mone. electric lo	minately 60 s casing, ad with suf low solids gs will be	of 13-3/8 Required an ficient cen gel-CMG m run prior t	" conductor ount of ent to ud will be o setting		
tery drilling equipme radox Salt formation, sing and approximatel 1/2" production casis per the highest potes ed. All shows will b	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and	ped to drill gram: Appro -5/8" surfac a and commat stive mone. electric lo	minately 60 s casing, ad with suf low solids gs will be	of 13-3/8 Required an ficient cen gel-CMG m run prior t	" conductor ount of ent to ud will be o setting		
tary drilling equipme radox Salt formation, ring and approximatel 1/2" production casis per the highest potes ad. All shows will be	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and	ped to drill gram: Appro -5/8" surfac a and commat stive mone. electric lo	minately 60 s casing, ad with suf low solids gs will be	of 13-3/8 Required an ficient cen gel-CMG m run prior t	" conductor ount of ent to ud will be o setting		
tary drilling equipme radox Salt formation, ring and approximatel 1/2" production casis per the highest peter ed. All shows will thing or abandonment.	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and Stimulation	ped to drill gram: Appro -5/8" surfac a and comment otive sens. electric lo treatments:	cimately 60 seasing, and with suffice solids go will be may be empl	of 13-3/8 Required an ficient cen gel-CMG m run prior t cyud in com	" conductor ount of ent to ud will be o setting pletion.		
tery drilling equipmer redox Salt formation, sing and approximatel 1/2" production casing or the highest poter ed. All shows will being or abandonment.  I understand that this plan of work	ont will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and Stimulation  must receive approval i	ped to drill gram: Appro -5/8" surfac a and commat rtive mone. electric lo treatments:	cimately 60 seasing, and with suffice solids go will be may be empl	of 13-3/8 Required an ficient cen gel-CMG m run prior t cyud in com	" conductor ount of ent to ud will be o setting pletion.		
tary drilling equipms redox Salt formation. sing and approximatel 1/2" production casis wer the highest potes ed. All shows will be	casing Progly 1200' of 8- ng will be run retially produc be tested and Stimulation  must receive approval i	ped to drill gram: Appro -5/8" surfac a and commat rtive mone. electric lo treatments:	cimately 60 seasing, and with suffice solids go will be may be emple	of 13-3/8 Required an ficient cen gel-CMG m run prior t cyud in com	" conductor ount of ent to ud will be o setting pletion.		
tary drilling equipmeradox Salt formation.  Sing and approximatell/2" production casis  were the highest potent  ed. All shows will be  sing or abandonment.  I understand that this plan of work  company Rushie Oil &  ddress P. O. Box 306	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and Stimulation  must receive approval i Refining Comp	ped to drill gram: Appro -5/8" surfac a and commat rtive mone. electric lo treatments:	cimately 60 casing, ad with suffice solids gs will be may be employed by the sufficient survey before the survey before	of 13-3/8 Required an ficient cen gel-CMG m run prior t cyud in com	conductor  cunt of  cunt to  ud will be  c setting  pletion.		
tery drilling equipmer radox Salt formation, sing and approximatel 1/2" production casis wer the highest potential and a shows will be sing or abandonment.  I understand that this plan of work the plan of work	ent will be us Gasing Prog ly 1200' of 8- ng will be run stially produc be tested and Stimulation  must receive approval i Refining Comp	ped to drill gram: Appro -5/8" surfac a and commat rtive mone. electric lo treatments:	cimately 60 casing, ad with suffice solids gs will be may be employed by the sufficient survey before the survey before	of 13-3/8 Required an ficient can gol-CMG m prior to come the come of the come	conductor  cunt of  cunt to  ud will be  c setting  pletion.		

٠	COM	A CT	ATT/
	CUN	תחו	I VI.

HUMBLE OIL AND REFINING COMPANY

Well Name & No. Navajo Tract 125 #3

Lease No. 11-20-6

Location 19

1980' FROM THE SOUTH LINE AND 1980' FROM THE WEST LINE


Being in

NE SW

Sec. 21. T Al S. R. 25 E. S. L. W., San Juan County, Utah

Ground Elevation

4473.0 ungraded ground



Scale - 4 inches equals 1 mile

Surveyed

10 February

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land Surveyor.

James P. Leese

Utah Reg. No. 1472

SOR				BLOC1	NAM				, , , , , , , , , , , , , , , , , , , ,	•	LEA!	SE NO			
AL ACCUM					-							and the specific region and companies are small design.			
TE $oldsymbol{U}_{}$	TAH AND INT		COUNTY	<b>&gt;4N</b>	VU	AN	SEC	2,		т. 4	/ <i>3</i>	r. 25	E_AC	RES	
der vive i versione en inchis		** **-*********************************	. 1						1						
		****	VAU	4J0	TR	ACT	16	15 =	#3						
								Đ	25 6						
ary		.27	"114"		. 3		114"		11-16						:
back of this sheet if necessary	,		28	.28	• •		•8	,15		-0-	 4				
t if n			18	•~		.5	7			j.	6			15	
s shee		.30	.29		.7		.16		.13-1	6					
of thi			.25	31		4-22		49						•	
n back			" 115"	-+		" 44	5"			Sus	ERIOR	7			-
i   g		.2	. 6		•1	//	5				UMBL				
ransferred to ist Fittings (			419				_								
Transferred to List Fittings (c		.5	.1 /9			2	0	• • • • • • • • • • • • • • • • • • • •		125	PR	OPOSED	d	2 <del>-2</del>	, <del>.</del>
Pipe Trand List	Signed.		• • •					· · · · · · · · · · · · · · · · · · ·	125-1						
Coupled	41								•						
	3		"115"			"11	5"			125-2	SUP(	erior Unble		:	
lded (					<u>÷</u>										
ken Up Screw, Welded or	Tulsa)		30			<b>.</b> 2	9			<i>⊲</i> ?	<b>8</b>			<b>37</b>	
ken U Screv	1														
f Pipe Taken tedScre	rtmer			45											
Total Length and Size of Pipe Taken Up.  Depth Buried Painted Screw, Date	Dep		SUPERIOR		:	SUP	ERIOS	2		S	PERI	OR			-
l Size Pa	(Mail to Engineering		HOMBLE						4		F				
h and	ginee		31			ح	2			3	3		3	4	:
Total Length of Depth Buried	to Er									-					
Total Length and Size of Depth BuriedPaint	Mail					424	<b>32</b>							· · · · · · · · · · · · · · · · · · ·	<u>.</u> ,
чынд								D -						<u>.</u>	:
en used a	ıs ¼″ Se	ction S	cale, 1" = 400'		Pl	lat ma			5 E				. Do	te	-
	s Sectio		cale, $1'' = 800'$		1,5	" Rase	Map.							te	

May 21, 1962

Humble Oil & Refining Company Box 3082 Durango, Colorado

Attn: B. M. Bradley, Dist. Supt.

Gentlemen:

The May 19, 1962 issue of the Utah Oil Report indicates that you have spudded Well No. Navajo 125-3 located in Sec. 21, T. 41 S., R. 25 E., San Juan County, Utah. We have never received a notice of intention to drill this well and have therefore, not approved it. If the above information is correct, please submit a notice of intention to drill this well immediately.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT, EXECUTIVE DIRECTOR

EBF: kb

May 25, 1962

Humble Oil & Refining Company P. O. Box 3082 Durango, Colorado

Attention: B. M. Bradley.

District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tract 125-3, which is to be located 1980 feet from the south line and 1980 feet from the west line of Section 21, Township 41 South, Range 25 Ease, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminated within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:cp

cc P. T. McGrath, Dist. Eng. U. S. Geological Survey Farmington, New Mexico

> Harvey L. Coonts OGCC - Moab





## **UNITED STATES** DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	V
Budget Bureau	No. 42-R359.4.
Approval expire	es 12-31-60.

Indian Agency Hava jo
Allottee 14-20-603-700
Lease No.

		1		
SUNDRY NO	TICES AND	REPORT	rs on well	.S
IOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT	OF WATER SHUT-OFF	
OTICE OF INTENTION TO CHANGE PLANS	1 1	•	OF SHOOTING OR ACIDIZI	
OTICE OF INTENTION TO TEST WATER SH	UT-OFF 5	UBSEQUENT REPORT	OF ALTERING CASING	
OTICE OF INTENTION TO REDRILL OR RE	PAIR WELL S	SUBSEQUENT REPORT	FOF REDRILLING OR REPAI	R
OTICE OF INTENTION TO SHOOT OR ACIDI		SUBSEQUENT REPORT	OF ABANDONMENT	
OTICE OF INTENTION TO PULL OR ALTER OTICE OF INTENTION TO ABANDON WELL	CASING	SUPPLEMENTARY WE	LL HISTORY	
(INDICATE ABO	VE BY CHECK MARK NATUR	E OF REPORT, NOTIC	E, OR OTHER DATA)	
	•••		August 7	19 6
Havajo Tract 125 ell No. 3 is located	1980 ft. from  S	line and 19	ft. from W line	e of sec. 21
18 SW Section 21 (% Sec. and Sec. No.)	(Twp.) (Rang		SIII (Meridian)	
White Mess	Sen Just		(Meridian)	
(Field)	(County or Subd	livision)	(State or Terr	itory)
	mg points, and an other m	aportant proposed v	vork)	
otice of intention to al			ment plage free	5419-5200
	and 30-0'. A m	Surveyed a	a por market a	o be erect
its filled and location	CTREMEC.			
I understand that this plan of work must	receive approval in writin	g by the Geological	Survey before operations m	ay be commenced
ompany Rushle 011 & Re	dising Company			
ddress Box 3002				
Durango, Colare	de	Ву	COPY ( ORIGINAL )	B. M. BRADL
		Title	Mist. Supt.	





# 21

#### STATE OF UTAH

## OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To be kept Confidential	until
- -	(Not to exceed 4 months after filing date

# LOG OF OIL OR GAS WELL

T 0000	ing Com		act 125		73: 11 1	White Mesa	<b>~</b>	litch	
						M Cou			
Location	n 1980	ft [N.] of S	Line or		E	Line of Sec. 2	inty <u>. 2522</u> 2	Flore	hh731
The so far a	ne inform as can be Augus	ation given he determined f	erewith is rom all av	a comple ailable rec Si	te and correctords.	Title	ell and all	work o	moor rounders to som lover,
						ed drilling	hme 19.	1062	10
Comme	sneed din	umg			S SANDS (		me Les	. 47.U.C.	, 19
		•	O1.		Denote gas by G				
No. 1,	from	None	to		No. 4	, from	to		
					2101 2	,			
No. 2, 1	_								
No. 2, 1	_								
No. 3,	from	u jattaje u Brj	to	elly a c	No. 5	, from , from			
No. 3,	from from	a de Maria de Caraca de C	- to	MPORTA	No. 5 No. 6	, from, from	to 012 00 00 to	-8000 i	*
No. 3,	from from	a de Maria de Caraca de C	- to	MPORTA	No. 5 No. 6	, from, from	to 012 00 00 to	-8000 i	*
No. 1, 1	from from from from	a de Maria de Caraca de C	to to to	MPORTA	No. 5 No. 6 NF WATER No. 3 No. 4	from SANDS, from from from from	to 012 00 00 to	-8000 i	*
No. 3,	from from from from from	Threads per	to	MPORTA CAS	No. 5 No. 6 NF WATER No. 3 No. 4 NO. RECO	from SANDS from from from RD	to 012 00 00 to	-N3001	Fan-ma
No. 1, No. 2, Size casing	from from from weight per foot	Threads per inch	to to to Make	MPORTA  CAS  Amount	No. 5 No. 6 NF WATER No. 3 No. 4	from SANDS, from from from from	to to to to to	-N3001	*
No. 3,	from from from from from	Threads per	to to to to Make	MPORTA  CAS  Amount  151'	No. 5 No. 6 NF WATER No. 3 No. 4 NO. RECO	from SANDS from from from RD	to to to to	N 000 1	Fan-ma
No. 1, 1 No. 2, 1 Size casing 3-3/80	from from from weight per foot	Threads per inch	to to to Make	MPORTA  CAS  Amount	No. 5 No. 6 NF WATER No. 3 No. 4 NO. RECO	from SANDS from from from RD	to to to to	N 000 1	Fan-ma
No. 1, 1 No. 2, 1 Size casing 3-3/80	from from from weight per foot	Threads per inch	to to to to Make	MPORTA  CAS  Amount  151'	No. 5 No. 6 NF WATER No. 3 No. 4 NO. RECO	from SANDS from from from RD	to to to to	N 000 1	Fan-ma
No. 1, 1 No. 2, 1 Size casing 3-3/80	from from from weight per foot	Threads per inch	to to to to Make	MPORTA  CAS  Amount  151'	No. 5 No. 6 NF WATER No. 3 No. 4 NO. RECO	from SANDS from from from RD	to to to to	N 000 1	Fan-ma
No. 1, 1 No. 2, 1 Size casing 3-3/80	from from from weight per foot	Threads per inch	to	CAS Amount 151' 1242'	No. 5 No. 6 NF WATER No. 3 No. 4 ING RECOI	from SANDS from from Cut and pulled from	to to to to	N 000 1	Fan-ma
No. 1, No. 2, Size casing 3-3/8** 8-5/8**	from from from weight per foot	Threads per inch  8rd  8rd	to	CAS Amount 151' 1242'	No. 5 No. 6 NF WATER No. 3 No. 4 ING RECOI	from  SANDS  from  from  Cut and pulled from	to to to to to	ted To—	Purpose
No. 1, No. 2, Size casing 3-3/8** 8-5/8**	from from from weight per foot 48# 24#	Threads per inch  8rd  8rd	to	CAS Amount 151' 1242'	No. 5 No. 6 NF WATER No. 3 No. 4 ING RECOI	from SANDS from from Cut and pulled from	to to to to to	N 000 1	Purpose

Heaving pla	ug—Material			S AND A Length		_	th set
			SHC	OOTING I	RÉCORD		
Size	Shell used	Expl	osive used	Quantity	Date	Depth shot	Depth cleaned out
		I .		(	1		
				TOOLS	SED		feet to fee
							feet to fee
				DATE	5		
							, 19
The pr	oduction for	the first 2	24 hours was	3	barrels of	fluid of which	% was oil;
	% water;						
If gas	well, cu. ft. pe	er 24 hou	rs	Ga	llons gaso	line per 1,000 c	u. ft. of gas
Rock p	ressure, lbs. p	er sq. in					
			, Driller	EMPLOY.	EES		, Drille
			, Driller				, Drille
			FOR	MATION			, 2 · m.
FROM-	то-	- [	TOTAL FE	ET		FORMAT	ion
				A	At the end of State w	of complete Driller's hether from Electr	Log add Geologic Tops. ic Logs or samples.
				E	IECTRIC	LOG TOPS:	
				ı	eChelly		23451
				G	rgan Ro	ek	2507'
				H	ermosa		423 <b>4</b> •
				A	2		51021
				P	aradox		5259*
				В	Carb.		52941
				В	ase of	3	5395*
			•				
				1			

#### HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

State whether electric logs were run.

TD 5449.

Isabban Par

Spudded: 7:00 A. M. 5-14-62

1500

Ran 151' of 13-3/8" (5-Jts.), set @ 150', cemented  $\pi/125$  sx.

Ran 8-5/8" casing, set @ 12421, cemented w/1000 sacks.

\_1

Plugged and abandoned 6-14-62 w// cement plugs from 5449-5200; 2400-2300; 1300-1200; and 30-9:

September 7, 1962

Humble Oil & Refining Company
P. O. Box 3082
Durango, Colorado

Attention: B. M. Bradley, Dist. Supt.

Re: Well No. Navajo Tract 125;3, Sec. 21, T. 41 S, R. 25 E., San Juan County, Utah.

#### Gentlemen:

As of yet we have not received the Electric and/or Radioactivity logs for the above mentioned well. We would appreciate it very much if you would send these logs to us in order that we may complete our file.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK COMMISSIONERS C. R. HENDERSON

CHAIRMAN
M. V. HATCH
C. S. THOMSON

B. H. CROFT C. P. OLSON

EXECUTIVE DIRECTOR
C. B. FEIGHT





PETROLEUM ENGINEERS

PAUL W. BURCHELL
CHIEF ENGINEER
SALT LAKE CITY

HARVEY L. COONTS BOX 266 MOAB, UTAH

#### THE STATE OF UTAH

#### OIL & GAS CONSERVATION COMMISSION

310 NEWHOUSE BUILDING 10 EXCHANGE PLACE SALT LAKE CITY 11

September 26, 1962



Humble Oil & Refining Company P. O. Box 3082 Durango, Colorado

Attention: B. M. Bradley, Dist. Supt.

Re: Well No. Navajo Tract 125-3

Sec. 21, T. 41 S, R. 25 E.,

San Juan County, Utah

#### Gentlemen:

Reference is made to our letter of September 7, 1962, and your reply concerning the filing of Electric Logs for the above mentioned well. However, through some error, we have no record of having received these logs.

If it would not be to great of an inconvenience, we would appreciate these copies in order that we may complete our file.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS

RECORDS CLERK

CFP:cnp

Inf

	Form 9-331 b (April 1952)					
1			!			
		•				
		2				



Copy (V. L.C.
(SUBMIT IN TRIPLICATE)



Budget Bureau No. 42-R359. Approval expires 12-31-60.

R359.4. 0.	A

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee	
Lease No.	21-20-603-700

NOTICE OF INTENTION TO DRILL	***************************************	SUBSFOUEN	REPORT OF W	ATER SHIT-OF	F	
NOTICE OF INTENTION TO CHANG		) 11	REPORT OF S			i
NOTICE OF INTENTION TO TEST Y			REPORT OF A			
IOTICE OF INTENTION TO REDRI			REPORT OF R			
NOTICE OF INTENTION TO SHOOT			REPORT OF A			
NOTICE OF INTENTION TO PULL (			TARY WELL HIS			
NOTICE OF INTENTION TO ABANE	DON WELL					
(IND	NCATE ABOVE BY CHECK M	ARK NATURE OF REPOR	T, NOTICE, OR C		r 17.	. 19 🗸
Have to track 125	located 1980 ft.	from S line ar	nd <b>1985</b> f			y
S OF SOCKION ZI	<b>113</b>	<b>253</b>	8.	i.l.		
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meri	dian)	ظمة	
(Field)	(Cor	unty or Subdivision)		(State	or Territory)	
	hs to objective sands; sho	TAILS OF WO	RK	ed casings; ind	icate muddi:	ng jobs, cem
ate names of and expected depth	DET	FAILS OF WOI	RK	ed casings; ind	icate muddi	ng jobs, cem
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	icate muddi	ng jobs, cem
	DET	FAILS OF WOI	RK	ed casings; ind	icate muddi 5200's :	ng jobs, com <b>21,00-23</b> <b>20d and</b>
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	icate muddi \$200's ite fil	ng jobs, com 21,00-23 204 and
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	S200 s	ng jobs, com 21,00-23 30d and
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	icate muddi \$260 g	ng jobs, com <b>21/60-23</b> <b>2016 and</b>
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	icate muddi	ng jobs, cem <b>21,00-03</b> <b>2nd and</b>
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	icate muddi \$200's ite fil	ng jobs, cem <b>21,00-23</b> <b>lod and</b>
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	S200's	ng jobs, com 2160-23 201 and
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	S2001	ng jobs, cem <b>21,00-23</b> <b>201 and</b>
	DET	TAILS OF WOI w sizes, weights, and le all other important po	RK	ed casings; ind	S200 1	ng jobs, cem
Shot. Well she	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ngths of propos oposed work)	en Skig-; ootod, y	\$200's ite fil	2460-23 Jad and
Shot. Well she	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ngths of propos oposed work)	en Skig-; ootod, y	\$200's ite fil	2460-23 Jad and
I understand that this plan of v	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ngths of propos oposed work)	en Skig-; ootod, y	\$200's ite fil	2460-23 Jad and
	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ngths of propos oposed work)	en Skig-; ootod, y	\$200's ite fil	2460-23 Jad and
I understand that this plan of wompany	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ological Survey	before operat	\$200's ite fil	200-03
I understand that this plan of womany	DET has to objective sands; sho ing points, and makened as Sella la regulati Location rooty	TAILS OF WOI waizes, weights, and le all other important po	ngths of propos oposed work)	before operat	ions may be	200-03

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ALLOTTEE		in the			P
TRIBE	Na	ve ic	<u> </u>		
LEASE NO	114	- 20-	603	-700	-

# LESSEE'S MONTHLY REPORT OF OPERATIONS

									including (	drilling and produci
vells) fo	or the	e mon	th o	De	terfora	**********	., 1962.,			
Agent's	addr	ess		Bo	x_3082		Сот	npany	Humble A	il & Talveing Con
				<u>Du</u>	rungo, Col	كالمحت	Sig	ned COPY	( SIGNED )	HAS. C. JOHNSON
Phone .				31	7-0210			ent's title		Mat. icstis. Sup
Sec. and Hof H		RANGE	Well No.	DAYS PRODUCED	BARRELS OF OIL		Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE BECOVERED	BARRELS OF WATER (If none, so state)	BEMARKS (If drilling, depth; if shut down, ean date and result of test for gasoline content of gas)
'AJO T	PACT	125								
en en	413	25E	1	31	15630	142	4952	0	0	
ne en	1 76		2	31	16505		8132	0	0	
NE 5W			3				•	•	•	P&A 2-14-
ew nw	415	25E	4	29	12948		6063	0	0	Down 2 days.
Pals		A**			1,5083		19147	0	0	
30										i i i i i i i i i i i i i i i i i i i
	1.									
								4		
				A 7						
		1					94" (A)			
		100								
4. 67 JA Gegan										
~.		A Longo								
									10 gr	

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 959
Farmington, New Mexico

March 29, 1963

Mr. Harvey Coonts Utah Oil and Gas Conservation Comm. Moab, Utah

Dear Harvey:

The following abandoned wells in San Juan County, Utah, were inspected and approved by this office during March:

Eldorado Oil and Gas Co.	No. 1 Navajo Tract 3	NW 15-43S-22E
Monsanto Chemical Co.	No. 1 Akeah	NW 4-42S-21E
Humble Oil & Refg.	No. 1 Navajo Tract 40	SW 9-41S-22B
Gulf Oil Co.	No. 1 Gulf-Aztec	
	Desert Creek	NE 1-415-22E
Gulf Oil Co.	No. 2 " "	NE 1-415-221
Aztec Oil & Gas	A-3 Navajo 58	SW 5-418-23E
Tenneco Oil Co.	No. 1 Navajo 404	NW 19-42S-23B
Zoller & Danneberg	No. 80-1 Navajo	NE 2-42S-23E
Zoller & Danneberg	No. 92-1 Navajo	NE 5-438-24E
Humble Oil & Refg.	No. 3 Navajo Tr. 125	SW 21-41S-25E

The following wells were inspected but not approved:

Aztec Oil & Gas Pan American Petroleum

No. 67-3 Navajo No. 2 Navajo M NW 9-415-23E SW 6-415-26E

Very truly yours,

P. T. McGrath District Engineer